

MY CO2 GROUP SDN BHD
202201032134 (1477831-M)**MY CO2 SDN BHD**
200601024684 (744438-M)**MY CO2 CERTIFICATION SDN BHD**
201601026813 (1197752-X)**MY CO2 (PG) SDN BHD | SAMM No. 384**
201701042071 (1256244-P)

16, Lengkok Kikik 1, Taman Inderawasih, 13600 Perai, Penang, Malaysia.

T: 04-380 8282

F: 04-380 8280

lmscompliance.com
www.myco2.com.my
enquiry@myco2.com.my

Page 1 of 1

Certificate of AnalysisLab Ref No.: **MYPG-LN01-107853**SN: **RS3335580901367025**

KEE KAI LOON

Microbiologist & Biotechnologist

Food Analyst No: MJMM 0469

AN1 : RA1643612110394663

8mazing Sdn BhdL3-15, Pusat Komersial Arena
Bintang, No 3, Jalan Zuhail U15/179,
Seksyen U5, 40150, Shah Alam,
MALAYSIA

Date of Received: 2026-07-01

Date of Commence: 2026-07-02

Date of Completion: 2026-07-07

Date of Issue: 2026-07-07

Sample Marking: Kenkori Astaxanthin Egg White & Kenkori Astaxanthin Egg Yolk**Sample Description:** Food sample in plastic packaging

ND denotes Not Detected

Test Description	Method or Equipment Used	Result(s)	Unit
Salmonella	FDA-BAM Chapter 5	Absent in 25 g	
Escherichia coli (Petrifilm method)	AOAC 991.14	ND < 10	cfu/g

- END OF REPORT -

The above result(s) based on sample submitted. We shall not be responsible or liable for any damages or losses arising thereof.

This report is strictly not for circulation, advertising or legal proceeding purpose and cannot be reproduced except in full without written approval of the laboratory. **Test report issued by MY CO2 (PG) Sdn. Bhd.**

Symbol

* denote test not accredited. Symbol + denote test externally provided and accredited at SAMM564. Symbol ++ denote test externally provided and accredited at SAMM752. Symbol # denote test externally provided and accredited. The replacement report is indicated with Tr suffix to the original lab ref. no.. Symbol 'r' denote the designated revision number. The latest revision number shall deem to be the final replacement report.

N/A kgCO₂e/COA

Authentication